



Index: Licenses

A	Auslieferungszustand	4
D	Description	5
H	Hardware-Seriennummer	3
K	Key	3, 5
L	LicenseSerialNumber	3
	Lizenzdaten	
	Freischalten von Zusatzlizenzen	5
	LicenseSerialNumber	3
	PIN	3
	Serialnumber	3
	Software License ID	3
M	Mask	5
O	Online-Lizenzierung	3, 6
P	PIN	3
S	Serialnumber	3, 5
	Software License ID	3
V	Verfügbare Subsysteme	4



Index: System

Numerics	1. Event Index	29
A	Action	18
	Activity Monitor	7
C	CLID	13, 14
	Client IP Address	8
	Client UDP Port	8
	Compare value	26
	Condition	25
	Contact	4
	Current Time	36
D	Description	22, 28
	DownAction	16
E	End time	26
	End value	26
	Eventlist Condition	29
	Execute command	30
	External Activity Monitor	7
	External System Logging	9
F	Facility	10
	FirstIfIndex	16, 18
G	Group	15
	Grundlegenden Systemdaten	3
H	Hosts	14
I	Index	22, 28



	Index value	24, 31
	Index variable	24, 31
	Interface	17, 30
	Interfaces	14
	Interval	15
	IPAddress	15
K	Keepalive Monitoring	13
L	LAN	13
	Last Change	32
	Level	10
	Local PPP ID (default)	3
	Location	4
	Log Host	9, 10
M	Maximum Number of Syslog Entries	5
	Message level for the syslog table	5
	Mode	28
	Monitored event	23
N	New Date	36
	New Time	36
	Next Index	22
	Notify	32
P	Password setting	
	read	33
	Password settings	33
	Activity Monitor	33
	admin	33
	Auslieferungszustand	33
	HTTP Server	33
	write	33



R	Range	17, 19
S	Set value active	31
	Source IP	15
	Start time	26
	Status	26, 32
	Subsysteme	9
	Subsystemen	
	Protokoll der Ereignisse	9
	Syslog Messages	9
	Anzahl	3
	Anzeige	3
	Priorität	3
	Syslog output on serial console	4
	System Name	3
	Systemzeit	35
	Accounting	35
	automatisch	35
	manuell	35
T	Table	24, 30
	Time and Date	35
	Time is currently controlled by	
		36
	Timestamp	11
	Trigger	18
	Type	8, 11, 22
U	Update Interval	8
V	value inactive	31
	Variable	24, 30
Z	Zentraler Server	13

Index: Ethernet

A	Advanced Settings	7, 13
B	Back Route Verify	7, 8, 9
	Bridging	6
D	DHCP MAC Address	4
E	Encapsulation	5
	Ethernet Unit	3
	ETH-Schnittstellen	3
I	IP Accounting	7, 8, 9
	IP Configuration	4, 11, 12
L	Local IP-Number	4, 11
	Local Netmask	4, 11
M	MAC Address	5, 11, 12
	Mode	5
P	Proxy ARP	7, 8, 9
R	RIP	7, 9
	V1	9
	V2	9
	RIP Receive	9
	RIP Send	9
	Route	7
	Routing	7
	Routing-Tabelle	7
S	Second Local IP-Number	4
	Second Local Netmask	4



V	Virtual Interfaces	11
	VLAN ID	5, 12
W	WAN Partner	8

Index: ISDN

A	Anlagenanschluß (Point to Point)	5
B	Basic Rate Interface (BRI)	3
	B-Channel 1	6
	B-Channel 2	7
	Bearer	11
D	data	11
	D-Channel	6
	DOVB	12
F	Festverbindung (Leased line)	5
I	Incoming Call Answering	9
	IPSec	12
	ISDN Login	10, 12
	ISDN S0	3
	ISDN Switch Type	3, 5, 6
	Item	11
L	Leased dte, dce	6, 7
	Leased line (Festverbindung)	5
M	Mehrgeräteanschluß (Point to multipoint)	5
	Mode	11
N	Number	11
P	Point to multipoint (Mehrgeräteanschluß)	5
	Point to Point (Anlagenanschluß)	5
	PPP (routing)	12
R	Result of autoconfiguration	4



S	SPID B-Channel 1	7
	SPID B-Channel 1+2	7
	SPID B-Channel 2	7
V	voice	11



Index: AUX

A	Active Profile	6
	Analog-/GSM-Interface	3
	Analoge Anschlüsse	3
D	Dispatch Item	7
E	Escape Char	7
G	GSM Modem	3, 7
	GSM SIM PIN	7
I	Init Sequence	8
L	Line speed	5
M	Modem	3
P	Profile 1 bis 4	6
	Profilkonfiguration	6
S	Serial Port	5

Index: WAN Partner

A	Advanced Settings	46
	Authentication	11
	Authentisierungsverhandlung	11
B	Back Route Verification	48
	Back Route Verify	49
	Bandwidth On Demand (=BOD)	22
	Basic IP-Settings	37
	Bridge	53
	Bridging-Modus	53
C	Callback	15, 17, 19
	Calling Line Identification	7
	Channel-Bundling	16, 18
	Closed User Group	36
	Compression	6, 7
	CUG-Index	36
D	D-Channel Queue Length	25
	Default Route	37, 40
	Delay after Connection Failure	16
	Delay after Connection Failure (sec)	17
	Destination IP-Address	42, 44
	Destination Port	45
	Direction	34
	Dynamic Name Server Negotiation	50, 51
E	Enable NAT	39
	Encapsulation	5, 6
	Encryption	6
	Encryption Key (RX)	26
	Encryption Key (TX)	26
	Encryption Key Negotiation	26
	Erweitertes IP-Routing	43



	Extended Interface Settings	22
	Extended Routing	43
F	Flags	40
G	Gateway IP-Address	42
	Gear Down Threshold	24
	Gear Up Threshold	24
	Geschlossene Benutzergruppe	36
I	Idle for Dynamic Short Hold (%)	17
	IP	37
	IP Accounting	47, 49
	IP Transit Network	39
	ISDN Ports to use	34
K	Keepalives	12
L	Layer 1 Protocol	16, 18, 20
	Line Utilization Sample (sec)	24
	Line Utilization Weighting	23
	Link Quality Monitoring	12
	Local IP Address	39
	Local PPP ID	11
M	Maximum Number of Dialup Channels	25
	Metric	42, 45
	Mode	23, 26
	More Routing	40
N	Netmask	42, 45
	Network	42, 43, 44
	Number	33
P	Partner IP Address	39
	Partner Name	5



Partner PPP ID	11
Partnername	3
PPP Password	11
Pro	40
Protocol	3, 45
Proxy Arp	48, 49, 51
R Remote IP Address	40
Remote Netmask	40
Remote X.25 Address	19
RIP	47
RIP Receive	48, 50
RIP Send	48, 50
Route	37
Route Announce	48, 49
Route Type	42, 44
Routing-Einstellungen	37
Rufnummern des WAN Partners	33
S Shorthold	15
Source Interface	45
Source IP-Address	45
Source Mask	45
Source Port	45
Special Interface Types	19
State	3
Static Short Hold (sec)	17
T TOS Mask	45
Total Number of Channels	18
Type of Service (TOS)	45
V Van Jacobson Header Compression	49

Index: IPSec

Numerics

1 (768 bit MODP)	32, 58
2 (1024 bit MODP)	32, 59
3DES	27, 40, 54, 67
5 (1536 bit MODP)	32, 59

A

A	6
abort	93
Action	8, 44, 46, 49
Admin Status	12
aggressive	34, 60
aggressive-only	34, 61
AH (Authentication Header)	39, 66
Algorithm	72
Anpassung der IKE- und IPSec-Einstellungen	23
Authentication Method	51
auto/base64/binary	83
Autosave	76

B

Beginn der IKE-Phase-1-Aushandlung	19
Block Time	53
Blowfish	27, 40, 53, 67

C

CA Certificates	35, 53, 62
CA-Certificate	75
CA-Domain	76
CAST	27, 40, 54, 67
CEA	103
Certificate Authority Certificates	78
Certname	77
clear config	92
Cookies Size	90
CRL	35, 62
CRLs	83

D	default	34, 60
	Der IPSec- Wizard Schritt für Schritt	93
	DES	27, 40, 54, 67
	Description	7, 11, 43, 48, 51, 72, 79, 81
	dhcp	9, 45, 50
	Direkter ISDN-Ruf	14
	DN	78
	DNS	78
	Dont Send Cert Chains	88
	Dont send Cert Req Payl.	88
	Dont send CRLs	88
	Dont Send Initial Contact	89
	Dont send Key Hash Payl.	88
	drop	46
	DSA Signatures	33, 59
	dump messages	93
	DynDNS-Dienst	14
E	Email	78
	Enable IPSec	4
	Erste aktive Regel	6
	ESP (Encapsulated Security Payload)	38, 65
F	Flags	79
	force Comp	40, 67
	Force trusted	83
	Funktionsweise	18
G	Group	51
H	Heartbeats	37, 52, 64
	host	8, 45, 49
I	id_protect	33, 60
	ID-Protect-Modus	18
	id-protect-only	34, 61



	Ignore Cert Req Payloads	88
	IKE (Phase 1) Defaults	4
	Import a Certificate/CRL using	82
	In	103
	Incoming ISDN Number	16
	Interoperabilitäts-Flags	87
	IP	78
	IPComP	39, 66
	IPsec (Phase 2) Defaults	4
	ISDN Callback	16, 17
K	Kb	57
	Key Size (Bits)	73
	Key to enroll	74
	Kombination aus Verschlüsselungs- und Message Hash-Algorithmen für IKE Phase 1	26
L	Lifetime	36, 51, 63
	Lifetime Restriction Based On	57
	Local	102
	Type	8, 44, 48
	Local Address	5
	Local Certificate	53
	Local ID	53, 101
	Local/Remote	
	Type	45, 49
	LPort	102
M	M/R	6
	Matching Policy	58
	Max. Symmetric Key Length	89
	MD5	41, 68
	MD5 (Message Digest #5)	27, 54
	Method	75
	Mode	51
	MODP	31

N	Name	83
	net	9, 45, 50
	no Comp	40, 67
	NULL	40, 41, 67, 68
O	Oper Status	12
	Out	103
	Outgoing ISDN Number	16
	Own Certificates	78
	own/peer	9, 46, 50
P	Packets In	99
	pass	46
	Password	76
	Peer Address	12
	Peer Certificates	78
	Peer IDs	12
	Peers Blocked	98
	Peers Dormant	98
	Peers Up	98
	Phase 1	
	Authentication Method	32, 59
	Group	31, 58
	Lifetime	56
	Local Certificate	35, 61
	Local ID	34, 61
	Mode	33, 60
	Proposal	26, 53
	Phase 2	
	Lifetime	42, 69
	Proposal	38, 65
	Please enter certificate data	82
	Port	6
	Pre Shared Key	13
	Pre Shared Keys	32, 59
	Profile	44



Propagate PMTU	38, 65
Proposal	6, 36, 51, 63
protect	46
Proto	6
Protocol	7, 43, 48
Pto	102
R RADIUS Authentication	90
range	9, 45, 50
Remote	102
Type	8, 44, 49
Remote Address	6
Remote ID	100
Remote IP	100
Request Cert	73
RID	78
Rijndael	27, 40, 54, 67
RipeMD 160	28, 55
RPort	103
RSA Encryption	33, 60
RSA Public Exponent	73
RSA Signatures	33, 59
S SAs Phase 1	98
SAs Phase 2	98
Schritt 1 (NAT-Einstellungen)	93
Schritt 2 (Erstellung der Proposals)	94
Schritt 3 (Authentisierungsart festlegen)	94
Schritt 4 (Zertifikat beantragen)	94
Schritt 5 (Eigenes Zertifikat)	94
Schritt 6 (CA-Zertifikat)	95
Schritt 7 (CRL Server / Peer Certificate)	95
Schritt 8 (Peer)	95
Schritt 9 (Peer Traffic / Peer Interface)	95
SEA	102
Seconds	57
Serial No	79



Server	77, 83
Setup Tool Wizard	3
SHA1	41, 68
SHA1 (Secure Hash Algorithm #1)	28, 54
skip	93
start (wizard)	93
Start Wizard	91
State of Last Enrollment	77
Subject Alternative Names	78
Subject Alternative Names – Type	78
Subject Alternative Names – Value	78
Subject Alternative Names (optional)	77
Subject Name	76
Subject Names	79
Sync SAs With Local Ifc	89
T	
TARSEH	100, 101
Tiger 192	28, 55
Transfer own IP Address over ISDN	16
Trust ICMP Messages	89
Twofish	27, 40, 54, 67
Type	78
Type of Certificate	81, 82
U	
Übertragung der IP-Adresse	19
URI	78
Use PFS	36, 42, 63, 69
Use Zero Cookies	90
V	
Verfügbaren Verschlüsselungs- und Message Hash-Algorithmen	27
View Proposals	29, 38, 55
Virtual Interface	13
W	
What to do?	92