



Index: Licenses

A	Auslieferungszustand	4
D	Description	5
H	Hardware-Seriennummer	3
K	Key	3, 5
L	LicenseSerialNumber	3
	Lizenzdaten	
	Freischalten von Zusatzlizenzen	4
	LicenseSerialNumber	3
	PIN	3
	Serialnumber	3
	Software License ID	3
M	Mask	5
O	Online-Lizenzierung	3
P	PIN	3
S	Serialnumber	3, 5
	Software License ID	3
V	Verfügbare Subsysteme	4





Index: System

Numerics

1. Event Index	31
A Action	19
Activity Monitor	7
C CLID	15, 16
Client IP Address	8
Client UDP Port	8
Compare value	28
Condition	27
Contact	4
Current Time	37
D Description	23, 30
DownAction	17
E End time (hh mm)	28
End value	28
Eventlist Condition	31
Execute command	32
External Activity Monitor	7
External System Logging	11
F Facility	13
FirstIfIndex	18, 20
G Group	17
Grundlegenden Systemdaten	3
H Hosts	16



I	Index	23, 30
	Index value	26, 33
	Index variable	26, 32
	Interface	19, 32
	Interfaces	16
	Interval	17
	IPAddress	17
K	Keepalive Monitoring	15
L	LAN	15
	Last Change	28, 34
	Level	13
	Local PPP ID (default)	4
	Location	4
	Log Host	11, 12
M	Maximum Number of Syslog Entries	5
	Message level for the syslog table	5
	Mode	31
	Monitored event	25
N	New Date	38
	New Time	37
	Next Index	24
	Notify	34
P	Password setting	
	read	35



Password settings	35
Activity Monitor	35
admin	35
Auslieferungszustand	35
HTTP Server	35
write	35
R Range	18, 20
S Set value active	33
Source IP	17
Start time (hh mm)	28
Status	28, 34
Subsysteme	11
Subsystemen	
Protokoll der Ereignisse	11
Syslog Messages	11
Anzahl	3
Anzeige	3
Priorität	3
Syslog output on serial console	4
System Name	3
Systemzeit	37
Accounting	37
automatisch	37
manuell	37
T Table	25, 32
Time and Date	37
Time is currently controlled by	
	37
Timestamp	14
Trigger	19
Type	8, 13, 24



U	Update Interval	9
V	value inactive Variable	33 26, 32
Z	Zentraler Server	15

Index: Ethernet

A	Advanced Settings	7, 13
B	Back Route Verifiy	8
	Back Route Verify	7, 9
	Bridging	6
D	DHCP MAC Address	4
E	Encapsulation	5
	Ethernet Unit	3
	ETH-Schnittstellen	3
I	IP Accounting	8, 9
	IP Configuration	12
	IP-Accounting	7
	IP-Configuration	4, 11
L	Local IP-Number	11
	local IP-Number	4
	Local Netmask	12
	local Netmask	4
M	MAC Address	5, 11, 12
	Mode	5
P	Proxy ARP	7
	Proxy Arp	8, 9
R	RIP	7, 9
	V1	9
	V2	9
	RIP Receive	9
	RIP Send	9



	Route	7
	Routing	7
	Routing-Tabelle	7
S	Second Local IP-Number	4
	Second Local Netmask	4
V	Virtual Interfaces	11
	VLAN ID	5, 12
W	WAN Partner	8



Index: ISDN

B	B-Channel 1	5
	B-Channel 2	5
	Bearer	9
D	D-Channel	4
I	ISDN S0	3
	ISDN Switch Type	3, 4
	Item	8
M	Mode	8
N	Number	8
R	Result of autoconfiguration	3
S	SPID B-Channel 1	5
	SPID B-Channel 1+2	5
	SPID B-Channel 2	5





Index: AUX

A	Active Profile	5
	Analog-/GSM-Interface	3
	Analoge Anschlüsse	3
D	Dispatch Item	6
E	Escape Char	7
G	GSM SIM PIN	7
I	Init Sequence	7
L	Line speed	5
M	Modem	3
P	Profile	5
	Profilkonfiguration	5
S	Serial Port	4



Index: WAN Partner

A	Advanced Settings	40
	Authentication	9
	Authentisierungsverhandlung	9
B	Back Route Verification	42
	Back Route Verify	43
	Bandwidth On Demand (=BOD)	20
	Basic IP-Settings	31
	Bridge	47
	Bridging-Modus	47
C	Callback	13, 15, 17
	Calling Line Identification	6
	Channel-Bundling	15, 16
	Closed User Group	30
	Compression	6
	CUG-Index	30
D	D-Channel Queue Length	21
	Default Route	31, 33
	Delay after Connection Failure	14
	Delay after Connection Failure (sec)	15
	Destination IP-Address	35, 38
	Destination Port	39
	Direction	30
	Dynamic Name Server Negotiation	44, 45
E	Enable NAT	33
	Encapsulation	5
	Encryption	6
	Encryption Key (RX)	22
	Encryption Key (TX)	22
	Encryption Key Negotiation	22
	Erweitertes IP-Routing	37



	Extended Interface Settings	20
	Extended Routing	37
F	Flags	34
G	Gateway IP-Address	36
	Gear Down Threshold	21
	Gear Up Threshold	21
	Geschlossene Benutzergruppe	30
I	Idle for Dynamic Short Hold (%)	15
	IP	31
	IP Accounting	41, 43
	IP Transit Network	32
	ISDN Ports to use	30
	ISP	3
K	Keepalives	10
L	LAN-LAN-Kopplung	3
	Layer 1 Protocol	14, 16, 18
	Line Utilization Sample (sec)	21
	Line Utilization Weighting	21
	Link Quality Monitoring	10
	Local IP Address	32
	Local PPP ID	9
M	Maximum Number of Dialup Channels	22
	Metric	36, 38
	Mode	20, 22, 38, 39
	More Routing	34
N	Netmask	35, 38
	Network	35, 36, 38
	Number	29



P	Partner / Interface	38
	Partner interface	36
	Partner IP Address	32
	Partner Name	5
	Partner PPP ID	9
	Partnername	3
	PPP Password	9
	Pro	34
	Protocol	3, 38
	Proxy Arp	42, 43, 45
	R	Remote IP Address
Remote Netmask		33
Remote X.25 Address		16
RIP		41
RIP Receive		42, 44
RIP Send		42, 44
Route		31
Route Announce		42, 43
Route Type		35, 38
Routing		40
Routing-Einstellungen		31
Routing-Protokoll		40
Routing-Tabelle		40
Rufnummern des WAN Partners		29
S		Shorthold
	Source Interface	38
	Source IP-Address	38
	Source Mask	38
	Source Port	38, 39
	Special Interface Types	17
	State	3
	Static Short Hold (sec)	15
T	TOS Mask	38



Total Number of Channels	16
Type of Service (TOS)	38
V Van Jacobson Header Compression	43
Verbindungen	
ausgehend	3
eingehend	3
Festverbindungen	3
Internetzugang	3
Verbindungen zu Hosts	3
Verbindungen zu Netzwerken	3

Index: IPSec

Numerics

1 (768 bit MODP)	32, 58
2 (1024 bit MODP)	32, 59
3DES	27, 40, 54, 67
5 (1536 bit MODP)	32, 59

A

A	6
abort	93
Action	8, 44, 46, 49
Admin Status	12
aggressive	34, 60
aggressive-only	34, 61
AH (Authentication Header)	39, 66
Algorithm	72
Anpassung der IKE- und IPSec-Einstellungen	23
Authentication Method	51
auto/base64/binary	83
Autosave	76

B

Beginn der IKE-Phase-1-Aushandlung	19
Block Time	53
Blowfish	27, 40, 53, 67

C

CA Certificates	35, 53, 62
CA-Certificate	75
CA-Domain	76
CAST	27, 40, 54, 67
CEA	103
Certificate Authority Certificates	78
Certname	77
clear config	92
Cookies Size	90
CRL	35, 62
CRLs	83

D	default	34, 60
	Der IPSec- Wizard Schritt für Schritt	93
	DES	27, 40, 54, 67
	Description	7, 11, 43, 48, 51, 72, 79, 81
	dhcp	9, 45, 50
	Direkter ISDN-Ruf	14
	DN	78
	DNS	78
	Dont Send Cert Chains	88
	Dont send Cert Req Payl.	88
	Dont send CRLs	88
	Dont Send Initial Contact	89
	Dont send Key Hash Payl.	88
	drop	46
	DSA Signatures	33, 59
	dump messages	93
	DynDNS-Dienst	14
E	Email	78
	Enable IPSec	4
	Erste aktive Regel	6
	ESP (Encapsulated Security Payload)	38, 65
F	Flags	79
	force Comp	40, 67
	Force trusted	83
	Funktionsweise	18
G	Group	51
H	Heartbeats	37, 52, 64
	host	8, 45, 49
I	id_protect	33, 60
	ID-Protect-Modus	18
	id-protect-only	34, 61



	Ignore Cert Req Payloads	88
	IKE (Phase 1) Defaults	4
	Import a Certificate/CRL using	82
	In	103
	Incoming ISDN Number	16
	Interoperabilitäts-Flags	87
	IP	78
	IPComP	39, 66
	IPsec (Phase 2) Defaults	4
	ISDN Callback	16, 17
K	Kb	57
	Key Size (Bits)	73
	Key to enroll	74
	Kombination aus Verschlüsselungs- und Message Hash-Algorithmen für IKE Phase 1	26
L	Lifetime	36, 51, 63
	Lifetime Restriction Based On	57
	Local	102
	Type	8, 44, 48
	Local Address	5
	Local Certificate	53
	Local ID	53, 101
	Local/Remote	
	Type	45, 49
	LPort	102
M	M/R	6
	Matching Policy	58
	Max. Symmetric Key Length	89
	MD5	41, 68
	MD5 (Message Digest #5)	27, 54
	Method	75
	Mode	51
	MODP	31

N	Name	83
	net	9, 45, 50
	no Comp	40, 67
	NULL	40, 41, 67, 68
O	Oper Status	12
	Out	103
	Outgoing ISDN Number	16
	Own Certificates	78
	own/peer	9, 46, 50
P	Packets In	99
	pass	46
	Password	76
	Peer Address	12
	Peer Certificates	78
	Peer IDs	12
	Peers Blocked	98
	Peers Dormant	98
	Peers Up	98
	Phase 1	
	Authentication Method	32, 59
	Group	31, 58
	Lifetime	56
	Local Certificate	35, 61
	Local ID	34, 61
	Mode	33, 60
	Proposal	26, 53
	Phase 2	
	Lifetime	42, 69
	Proposal	38, 65
	Please enter certificate data	82
	Port	6
	Pre Shared Key	13
	Pre Shared Keys	32, 59
	Profile	44



Propagate PMTU	38, 65
Proposal	6, 36, 51, 63
protect	46
Proto	6
Protocol	7, 43, 48
Pto	102
R RADIUS Authentication	90
range	9, 45, 50
Remote	102
Type	8, 44, 49
Remote Address	6
Remote ID	100
Remote IP	100
Request Cert	73
RID	78
Rijndael	27, 40, 54, 67
RipeMD 160	28, 55
RPort	103
RSA Encryption	33, 60
RSA Public Exponent	73
RSA Signatures	33, 59
S SAs Phase 1	98
SAs Phase 2	98
Schritt 1 (NAT-Einstellungen)	93
Schritt 2 (Erstellung der Proposals)	94
Schritt 3 (Authentisierungsart festlegen)	94
Schritt 4 (Zertifikat beantragen)	94
Schritt 5 (Eigenes Zertifikat)	94
Schritt 6 (CA-Zertifikat)	95
Schritt 7 (CRL Server / Peer Certificate)	95
Schritt 8 (Peer)	95
Schritt 9 (Peer Traffic / Peer Interface)	95
SEA	102
Seconds	57
Serial No	79



Server	77, 83
Setup Tool Wizard	3
SHA1	41, 68
SHA1 (Secure Hash Algorithm #1)	28, 54
skip	93
start (wizard)	93
Start Wizard	91
State of Last Enrollment	77
Subject Alternative Names	78
Subject Alternative Names – Type	78
Subject Alternative Names – Value	78
Subject Alternative Names (optional)	77
Subject Name	76
Subject Names	79
Sync SAs With Local Ifc	89
T	
TARSEH	100, 101
Tiger 192	28, 55
Transfer own IP Address over ISDN	16
Trust ICMP Messages	89
Twofish	27, 40, 54, 67
Type	78
Type of Certificate	81, 82
U	
Übertragung der IP-Adresse	19
URI	78
Use PFS	36, 42, 63, 69
Use Zero Cookies	90
V	
Verfügbaren Verschlüsselungs- und Message Hash-Algorithmen	27
View Proposals	29, 38, 55
Virtual Interface	13
W	
What to do?	92